

Site Based Project Evaluation

Instructions: Using the drop down menu in the grey boxes, select the points and multipliers for the project. Clicking a grey box will cause an arrow to appear; clicking the arrow will show a dropdown menu where you can select options.

Project Name: 802 Broadway

Project Type: Site Based - Residential

Score: 69

doc. # 233727

PART I - JOB CREDIT SCORE

The Job Credit Score is based on the number of indirect jobs (such as construction) created and the voluntary payment of prevailing wage.

NOTE: A maximum of **15 points** is possible in this section.

- (a) Job Points - Number of indirect jobs created or retained by the project.

Point Value: 4

Jobs Created or Retained	Point Value
2 - 40	2
41 - 85	3
86 - 200	4
200+	5

26 fte & 85 const.

- (b) Construction, reconstruction, or major repair of any fixed work at project site involves the payment of prevailing wage (15 pts)

N/A 0

TOTAL Point Value for Part I: 4

PART II - CAPITAL INVESTMENT IMPACT

The amount of real property investment over the first 10 years of the project corresponds to the point values below.

NOTE: A maximum of **30 points** is possible in this section for commercial/retail projects

Total Commercial Investment	Commercial Points	Total Residential Investment	Residential Points
\$0 - \$5 M	10	\$0 - \$3 M	5
\$5 M - \$15 M	15	\$3 - \$15 M	10
\$15 M - \$30 M	20	\$15 - \$40 M	15
\$30 - \$75M	25	\$40 M+	20
+ \$75M	30		

Point Value: 10

\$9.8 Million

TOTAL Point Value for Part II: 10

PART III- GEOGRAPHY

Is the project located in a distressed census tract within Kansas City, Missouri as indicated below?

NOTE: A maximum of 25 points in this section (one category only).

Option A Non-Distressed Census Tract (0 points)

Option B Distressed Census Tract: defined as Income < 80% AMI or Poverty > 20% (15 pts)

Option C Severely Distressed Census Tract: defined as Income < 60% AMI or Poverty > 30% or Unemployment > 1.5 times U.S. Rate (20 pts)

Option D Continuously Distressed: defined as severely distressed for 10 Years or more (25 pts)

Yes or No?

NO	
YES	15
NO	
NO	

TOTAL Point Value for Part III: 15

PART IV- SITE REMEDIATION FACTORS

A maximum of **20 points** possible. Check "yes" for all that apply.

- (a) Environmentally sustainable certified construction: LEED Platinum or Gold OR Passive House Certification (5 pts)

Yes or No?

N/A 0

- (b) Project involves Historic Restoration and/or Preservation (10 pts)

YES 10

- (c) Project involves Brownfield Remediation (5 pts)

N/A 0

- (d) Project involves infill development (5 pts)

YES 5

- (e) Project site has one (5 pts) or two (10 pts) of the following conditions:

i) Property (or majority of leasable space) has been vacant for over three years

YES 5

ii) Taxable value of property has decreased over past 5 years

N/A 0

iii) Property is being converted from obsolete use

YES 5

NOTE: Projects are NOT eligible if the blighted condition is a result of the ownership of the present owner.

Point Value: 10

TOTAL Point Value for Part IV: 20

NOTE: Fill out either, not both, Part V(a) Commercial/Retail or IV(b) Residential based on the primary use of the project being evaluated.

PART V(a) - PROJECT ENHANCEMENTS for COMMERCIAL/RETAIL PROJECTS

A maximum of **10 points** possible. Check "yes" for all that apply.

(a)	Owner occupied facility (5 pts)	Yes or No?	N/A	0
(b)	Provides Food Access in a designated Food Desert area (10 pts)		N/A	0
(c)	Project is projected to generate net new sales tax (10 pts)		YES	10
Project will retain and expand The GymKC, a woman-owned business located in the River Market neighborhood since 2005.				
TOTAL Point Value for Part IV:				10

PART V(b) - ADDITIONAL RESIDENTIAL PROJECT FACTORS

Project provides a percentage of units of affordable housing for certain targetted populations as indicated below

NOTE: A maximum of **25 points** in this section (check all that apply).

1)	Minimum of 10% Affordable At or Below 40% AMI (20 Points)	NO	0
2)	Minimum of 10% Affordable At or Below 60% AMI (15 Points)	NO	0
3)	Minimum of 10% Affordable At or Below 80% AMI (10 Points)	YES	10
4)	Minimum of 10% Affordable At or Below 100% AMI (5 Points)	YES	5
5)	At or above 20% of units are 100% AMI or below (5 points)	YES	5
			20

TOTAL SITE-BASED SCORE (Out of 100 Possible Points):

69

Score	Not Recommended	Low Impact	Standard Impact	High Impact
Commercial/	0 – 29	30 – 49	50 – 74	75 – 100
Residential	0-27	28-53	54-80	81-105